CRYSTAL ROUGHED AND CLEAR LINE ELECTRIC AND GAS SHADES

Schedule · B ·

CATALOG Nº 366

IVANHOE-REGENT WORKS
of General Electric Company
CLEVELAND OHIO

CRYSTAL ROUGHED AND CLEAR LINE ELECTRIC AND GAS SHADES

Schedule · B ·

CATALOG Nº 366

IVANHOE-REGENT WORKS
of General Electric Company

CLEVELAND OHIO

IVANHOE

Crystal Roughed and Clear Line Electric and Gas Shades

THE IVANHOE electric and gas shades illustrated in this catalog are made of crystal glass. The finish given the glass in making the shades is obtained by roughing the interior surface or exterior surface of glass blanks, or by roughing the exterior surface and leaving lines of clear glass. The rough finish of the glass improves the diffusion of light.

CATALOG NUMBERS

Catalog numbers are made up of two parts: The first, a number, indicates the shape of the glass blank; the second, a letter or letter and number, designates the finish of the glass. The following explains the meaning of the letters used.

R. I.—Crystal Glass Roughed Inside.
R. O.—Crystal Glass Roughed Outside.
C. L.—Crystal Glass Roughed Outside, with Lines of Clear Glass.
Clear—Clear Crystal Glass.

PRICES

This line of glassware is known as IVANHOE Schedule B Glassware, meaning that Schedule B discounts apply to the prices of all pieces listed. Prices will be found in the price list applying to this catalog.

OTHER IVANHOE PRODUCTS

In addition to the material listed herein Ivanhoe-Regent Works manufacture decorated glassware for the home and for ornamental lighting, enclosing units and glass reflectors for commercial illumination, display window lighting equipment, also metal reflectors and fittings for industrial and outdoor lighting. Catalogs on these materials will be supplied on request.

IVANHOE-REGENT WORKS

of General Electric Company

CLEVELAND OHIO

31 R. O.

Gas Shade

Diam.....6 in.
Depth.....5 in.
Fitter.....3⅜ in.

Gas Shade

Diam.....6 in.
Depth.....5 in.
Fitter.....3⅜ in.



31 C. L.

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.



31½ R. O.



31½ C. L.

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.

32 R. O.

Gas Shade

Diam.....6 in.
Depth.....5 in.
Fitter.....3⅜ in.

Gas Shade

Diam.....6 in.
Depth.....5 in.
Fitter.....3⅜ in.

32 C. L.

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.

32½ R. O.



32½ C. L.

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.

34 R. O.

Gas Shade

Diam.....5⅜ in.
Depth.....4½ in.
Fitter.....3⅜ in.

Gas Shade

Diam.....5⅜ in.
Depth.....4½ in.
Fitter.....3⅜ in.

34 C. L.

Electric Shade

Diam.....4¼ in.
Depth.....4¾ in.
Fitter.....2¼ in.

34½ R. O.



34½ C. L.

Electric Shade

Diam.....4¼ in.
Depth.....4¾ in.
Fitter.....2¼ in.

36 R. O.

Gas Shade

Diam.....5½ in.
Depth.....5 in.
Fitter.....3⅜ in.

Gas Shade

Diam.....5½ in.
Depth.....5 in.
Fitter.....3⅜ in.

36 C. L.

Electric Shade

Diam.....3¾ in.
Depth.....5⅛ in.
Fitter.....2¼ in.



36½ C. L.



36½ R. O.

Electric Shade

Diam.....3¾ in.
Depth.....5⅛ in.
Fitter.....2¼ in.

391/2 R. I.

Electric Shade

Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

Electric Shade

Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

391/2 Clear

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.



316½ R. O.

316½ C. L.

Electric Shade

Diam.....4 in.
Depth.....5¼ in.
Fitter.....2¼ in.

355 R. O.

Gas Shade

Diam.....6 in.
Depth.....4 in.
Fitter.....3⅜ in.

Gas Shade

Diam.....6 in.
Depth.....4 in.
Fitter.....3⅜ in.

355 C. L.

Electric Shade

Diam.....4¾ in.
Depth.....5⅝ in.
Fitter.....2¼ in.

355½ R. O.

355½ C. L.

Electric Shade

Diam.....4¾ in.
Depth.....4⅝ in.
Fitter.....2¼ in.



44½ R. I.

Electric Shade
Diam.....4 in.
Depth.....4¼ in.
Fitter.....2¼ in.

Electric Shade
Diam.....4¼ in.
Depth.....5½ in.
Fitter.....2¼ in.



318½ R. I.



360½ R. I.

Electric Shade
Diam.....4 in.
Depth.....4¼ in.
Fitter.....2¼ in.

Electric Shade
Diam.....6 in.
7 in., 8 in.
Depth.....3⅞ in.
4⅝ in., 5¼ in.
Fitter.....2¼ in.
2¼ in., 2¼ in.

365 6x2¼ in. R. I.
365 7x2¼ in. R. I.
365 8x2¼ in. R. I.



410 R. I.

Gas Upright
Diam.....4 in.
Depth.....4¾ in.
Fitter.....2 in.

Gas Upright
Diam.....4½ in.
Depth.....4⅝ in.
Fitter.....2 in.



411 R. I.



368½ R. I.

Electric Shade
Diam.....4¾ in.
Depth.....4½ in.
Fitter.....2¼ in.

Electric Shade
Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.



376½ R. I.



351½ R. I.

Electric Shade

Diam.....5 in.
Depth.....4⅜ in.
Fitter.....2¼ in.

Gas Shade

Diam.....6 in.
Depth.....4¼ in.
Fitter.....3⅜ in.

35 C. L.



378½ R. I.

Electric Shade

Diam.....4¼ in.
Depth.....4½ in.
Fitter.....2¼ in.



35½ R. O.

Electric Shade

Diam.....4¼ in.
Depth.....4⅝ in.
Fitter.....2¼ in.

Electric Shade

Diam.....4¼ in.
Depth.....4⅝ in.
Fitter.....2¼ in.



35½ C. L.



37½ R. I.

Electric Shade

Diam.....5⅞ in.
Depth.....4¼ in.
Fitter.....2¼ in.

Electric Shade

Diam.....5⅞ in.
Depth.....4¼ in.
Fitter.....2¼ in.

37½ C. L.

310 R. O.

Gas Shade

Diam.....4½ in.
Depth.....4¾ in.
Fitter.....3⅜ in.

Gas Shade

Diam.....4½ in.
Depth.....4¾ in.
Fitter.....3⅜ in.

310 C. L.

318½ C. L.

Electric Shade

Diam.....4¼ in.
Depth.....5½ in.
Fitter.....2¼ in.

320½ R. I.

Electric Shade

Diam.....4⅜ in.
Depth.....4⅜ in.
Fitter.....2¼ in.

Electric Shade

Diam.....4⅜ in.
Depth.....4⅜ in.
Fitter.....2¼ in.

320½ C. L.

322½ R. I.

Electric Shade

Diam.....4⅝ in.
Depth.....4¼ in.
Fitter.....2¼ in.

Electric Shade

Diam.....4⅝ in.
Depth.....4¼ in.
Fitter.....2¼ in.

326½ C. L.

322½

Electric Shade

Diam.....4¾ in.
Depth.....4½ in.
Fitter.....2¼ in.



326½ C. L.

44½ C. L.-1.

Electric Shade

Diam. 4 in.
Depth.....4¼ in.
Fitter.....2¼ in.

Electric Shade

Diam. 4 in.
Depth.....4¼ in.
Fitter.....2¼ in.

44½ C. L.-2.

44½ C. L.-5.

Electric Shade

Diam.....4 in.
Depth.....4¼ in.
Fitter.....2¼ in.

47 C. L.-1.

Gas Shade

Diam.....4¼ in.
Depth.....4¾ in.
Fitter.....3⅜ in.

Gas Shade

Diam.....4¼ in.
Depth.....4¾ in.
Fitter.....3⅜ in.



47 C. L.-5.

410 C. L.-1.

Gas Upright

Diam.....4 in.
Depth.....4¾ in.
Fitter.....2 in.

Gas Upright

Diam.....4 in.
Depth.....4¾ in.
Fitter.....2 in.



410 C. L.-2.

410 C. L.-5.

Gas Upright

Diam.....4 in.
Depth.....4¾ in.
Fitter.....2 in.



411 C. L.-5.

Gas Upright

Diam.....4½ in.
Depth.....4⅜ in.
Fitter.....2 in.

Electric Shade

Diam.....4 in.
Depth.....4¼ in.
Fitter.....2¼ in.



360½ C. L.-5.

38½ C. L.

Electric Shade
Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

Electric Shade
Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

38½ R. I.



43½ R. I.

Electric Shade
Diam.....4½ in.
Depth.....3¾ in.
Fitter.....2¼ in.

323½ R. I.

Electric Shade
Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

Electric Shade
Diam.....4½ in.
Depth.....4½ in.
Fitter.....2¼ in.

323½ C. L.

R. I. BALLS

329 R. I.
Made in three sizes.

	Diam.	Depth	Fitter
329 6 x 3¼ R. I.	6 in.	6 in.	3¼ in.
329 7 x 3¼ R. I.	7 in.	7¼ in.	3¼ in.
329 8 x 4 R. I.	8 in.	8¼ in.	4 in.
352 6 x 3¼ R. I.	6 in.	6 in.	3¼ in.
352 7 x 3¼ R. I.	7 in.	7¼ in.	3¼ in.
352 8 x 3¼ R. I.	8 in.	8¼ in.	3¼ in.
352 8 x 4 R. I.	8 in.	8¼ in.	4 in.



352 R. I.
Made in four sizes.

NUMERICAL INDEX

Ivanhoe New Number	Ivanhoe Old Number	Shown on Catalog Page No.	Dimensions in Inches. Diam.	Depth	Fitter
31 R. O.		4	6	5	3 3/8
31 C. L.		4	6	5	3 3/8
31 1/2 R. O.		4	4	5 1/4	2 1/4
31 1/2 C. L.		4	4	5 1/4	2 1/4
32 R. O.		4	6	5	3 3/8
32 C. L.		4	6	5	3 3/8
32 1/2 R. O.		4	4	5 1/4	2 1/4
32 1/2 C. L.		4	4	5 1/4	2 1/4
34 R. O.	01403 R. O.	5	5 3/8	4 1/2	3 3/8
34 C. L.	01403 C. L.	5	5 3/8	4 1/2	3 3/8
34 1/2 R. O.	01402 R. I.	5	4 1/4	4 3/4	2 1/4
34 1/2 C. L.	01402 C. L.	5	4 1/4	4 3/4	2 1/4
35 C. L.	01404 C. L.	8	6	4 1/4	3 3/8
35 1/2 R. O.	01401 R. I.	8	4 1/4	4 5/8	2 1/4
35 1/2 C. L.	01401 C. L.	8	4 1/4	4 5/8	2 1/4
36 R. O.		5	5 1/2	5	3 3/8
36 C. L.		5	5 1/2	5	3 3/8
36 1/2 R. O.		5	3 3/4	5 1/8	2 1/4
36 1/2 C. L.		5	3 3/4	5 1/8	2 1/4
37 1/2 R. I.	01405 R. I.	8	5 7/8	4 1/4	2 1/4
37 1/2 C. L.	01405 C. L.	8	5 7/8	4 1/4	2 1/4
38 1/2 R. I.	01410 R. I.	12	4 1/2	4 1/2	2 1/4
38 1/2 C. L.	01410 C. L.	12	4 1/2	4 1/2	2 1/4
39 1/2 Clear	01440 Clear	6	4 1/2	4 1/2	2 1/4
39 1/2 R. I.	01440 R. I.	6	4 1/2	4 1/2	2 1/4
43 1/2 R. I.	381 x 4 R. I.	12	4 1/2	3 3/4	2 1/4
44 1/2 R. I.	305 R. I.	7	4	4 1/4	2 1/4
44 1/2 C. L.-1		10	4	4 1/4	2 1/4
44 1/2 C. L.-2		10	4	4 1/4	2 1/4
44 1/2 C. L.-5		10	4	4 1/4	2 1/4
47 C. L.-1		10	4 1/4	4 3/4	3 3/8
47 C. L.-5		10	4 1/4	4 3/4	3 3/8
310 R. O.	01415 R. I.	9	4 1/2	4 3/4	3 3/8
310 C. L.	01415 C. L.	9	4 1/2	4 3/4	3 3/8
316 1/2 R. O.	01429 R. I.	6	4	5 1/4	2 1/4

Ivanhoe New Number	Ivanhoe Old Number	Shown on Catalog Page No.	Dimensions in Inches. Diam.	Depth	Fitter
316½ C. L.	01429 C. L.	6	4	5¼	2¼
318½ R. I.	01413 R. O.	7	4¼	5½	2¼
318½ C. L.	01413 C. L.	9	4¼	5½	2¼
320½ R. I.	01400 R. I.	9	4⅜	4⅜	2¼
320½ C. L.	01400 C. L.	9	4⅜	4⅜	2¼
322½ R. I.	01406 R. I.	9	4⅝	4¼	2¼
322½ C. L.	01406 C. L.	9	4⅝	4¼	2¼
323½ R. I.	01408 R. I.	12	4½	4½	2¼
323½ C. L.	01408 C. L.	12	4½	4½	2¼
326½ C. L.	01412 C. L.	11	4¾	4½	2¼
351½ R. I.	01179 R. I.	8	5	4⅜	2¼
355 R. O.		6	6	4	3⅜
355 C. L.		6	6	4	3⅜
355½ R. O.		6	4¾	4⅝	2¼
355½ C. L.		6	4¾	4⅝	2¼
360½ R. I.	311 R. I.	7	4	4¼	2¼
360½ C. L.-5		11	4	4¼	2¼
365 6x2¼ R. I.	382x6 R. I.	7	6	3⅞	2¼
365 7x2¼ R. I.	382x7 R. I.	7	7	4⅝	2¼
365 8x2¼ R. I.	382x8 R. I.	7	7¾	5¼	2¼
368½ R. I.	1160 R. I.	7	4¾	4½	2¼
376½ R. I.	1284 R. I.	7	4½	4½	2¼
378½ R. I.	1280 R. I.	8	4¼	4½	2¼
410 R. I.	1419 R. I.	7	4	4¾	2
410 C. L.-1		11	4	4¾	2
410 C. L.-2		11	4	4¾	2
410 C. L.-5		11	4	4¾	2
411 R. I.	1418 R. I.	7	4½	4⅜	2
411 C. L.-5		11	4½	4⅜	2

6 IN., 7 IN. AND 8 IN. R. I. BALLS

329 6x3¼ R. I.		12	6	6	3¼
329 7x3¼ R. I.		12	7	7¼	3¼
329 8x4 R. I.		12	8	8¼	4
352 6x3¼ R. I.	404 6x3¼ R. I.	12	6	6	3¼
352 7x3¼ R. I.	404 7x3¼ R. I.	12	7	7¼	3¼
352 8x3¼ R. I.	404 8x3¼ R. I.	12	8	8¼	3¼
352 8x4 R. I.	407 8x4 R. I.	12	8	8¼	4